

"Aap ka Suraksha Kavach"

Shell Safety

:: AUTHORISED STOCKIST & SUPPLIER ::

KARAM®

UDYOGI®

VENUS™
High Protection / Good Comfort / Great Value i

TIGER®
INDUSTRIAL SAFETY GEAR

ALL TYPES OF SAFETY MATERIALS STOCKIST & SUPPLIERS.

Shell Safety

FOOT PROTECTION

POLO SAFETY SHOES



- Upper Leather Commercial
- PVC Sole with steel Toe
- Made by stuck on process
- Suitable for moulded shut down work in continues process industries.

MOULDED SAFETY SHOES



- Upper leather Soft thick & smooth
- PVC sole with steel toe
- Direct injection process

LOREX SAFETY SHOES

EN-345
IS 15298



- Upper barton grain leather
- Low Ankle
- Foot bed removable Polyamide on EVA
- Outsold single density PU
- Foam padded collar lining

LEOPARD SAFETY SHOES

EN-345
IS 15298



- Upper barton grain leather
- High Ankle
- Foot bed removable Polyamide on EVA
- Outsold injected single density PU
- Antirust burr free d-rings
- Padded collar with split leather lining

NITRILE SAFETY SHOES



- Upper barton grain leather
- High ankle
- Sole made from nitrile rubber with steel toe cap
- Inside lining superior process
- Direct injection process

BOTTON BOOT



- Material PVC one piece moulded press button
- Length 15 cm

GUM BOOT



- Material PVC one peace molded
- Side 6 to 10 nos. available.
- Length 21 cm / 30 cm
- Black Colour

GUM BOOT STEEL TOE



- One piece compound PVC molded with steel toe
- Inside cotton lining to absorb perspiration
- Size 6 to 10 no. are available
- Black Colour

KARAM FS-05



- Upper : Made from Full Grain leather.
- Quarter Lining : Black Cambrel lining.
- Vamp Lining : Highly abrasion resistant fabric lining.
- Standard – Conforming to EN
- 20345:2011 & IS 15298: 2011 & DGMS
- Protection Level – S1
- Category – Design A
- Sizes – 3 to 12

MEDDO FAB



- Ankle : High
- Sole : PVC (double color)
- Upper : Synthetic leather
- Anti skid
- No ISI mark

ZM-16 (LOW ANKLE SHOE)



- Upper : Buff Split Barton Leather (Die Cross) 1.8-2/0mm
- Color : Black
- Lining : Nylon Grey Cambrill with 2mm Foam Laminated
- Sole : Pu Sole Double Density
- Toe Cap : 200 Joules Steel Toe
- Threads : Nylon 6 Ply & 3 Ply
- Available Sizes : 4 to 12
- Certifications : CE & ISI Certified Shoe

ZM-08 (LOW ANKLE SHOE) ZAIN



- Upper : Buff Split Barton Leather
- (Die Cross) 1.8-2.0 mm
- Color : Black
- Lining : Nylon Grey Cambrill with 2mm Foam Laminated
- Sole : Pu Sole Single Density
- Toe Cap - 200 Joules Steel Toe
- Threads - Nylon 6 ply & 3 ply (grey)
- Available Sizes : 4 to 12
- Certifications : CE & ISI Certified Shoe

E-mail : info@shellsafety.in

Shell Safety

HEAD PROTECTION

NAP HELMET



- Upper Leather Commercial
- PVC Sole with steel Toe
- Made by stuck on process
- Suitable for moulded shut down work in continues process industries.

KARAM HELMET



- Upper barton grain leather
- High ankle
- Sole made from nitrile rubber with steel toe cap
- Inside lining superior process
- Direct injection process

MANUAL ADJUSTMENT



- Upper barton grain leather
- Low Ankle
- Foot bed removable Polyamide on EVA
- Outsold single density PU
- Foam padded collar lining

RATCHET ADJUSTMENT



- Upper barton grain leather
- High Ankle
- Foot bed removable Polyamide on EVA
- Outsold injected single density PU
- Antirust burr free d-rings
- Padded collar with split leather lining

LODER HELMET



- Upper leather Soft thick & smooth
- PVC sole with steel toe
- Direct injection process

VENTILATION HELMENT



- Material PVC one piece moulded press button
- Length 15 cm

FRP HELMET



- Compact design
- Strongly built
- High durability
- No maintenance
- Effective

EYE PROTECTION

001 GOGGLES



- Clear polycabonate single lens piece
- Anti Scratch
- Soft flat spatula type arms
- Weight 25 grams
- Integrated polycabonate nose piece
- East to use with safety helmet
- and year defender

005 GOGGLES



- Optical Class - 1
- Lens scle number : 2 - 1.2 (for clear lens) 5-12 (for smoked lens)
- Hard-coated lens for Scratch Resistance
- Smoked lens model also provides optimum protection against harmful UV rediation.

AVIOR GOGGLES



- Single lens polycarbonate glasses
- Direct side ventilation
- Lateral protection
- Weight 42 gram
- Arms with hole for neck cord
- Suitable as over spectes

PRESCRIPTION EYE WEAR



- Stylish color frame Nylon Material easy install with your power glasses Best solution safety power glasses

WELDING GOGGLES



- Polycabonate lens, vinyl soft setting material.
- Color : Green • Length : 19cm
- Width : 8cm • Height : 7.5 cm
- Function : anti-welding light
- Purpose : Anti-glare
- Features : flip top design indirect ventilation design, comfortable frame material

CHEMICAL SPLASH



- Clear polycarbonate color less goggles
- Flexible PVC frame
- Woven elastic strap
- Protection against chemical splash

E-mail : info@shellsafety.in

Shell Safety

HAND PROTECTION

PVC DOTTED GLOVES



- Made C 0705
- 100% cotton seamless knitted fabrics with one side PVC dots on palm.
- Gauge 7, weight Gram per dorzen • Dexterity
- Also available different quality as per customer required.

ELECTRICAL GLOVES



- Seamless natural latex rubber
- 355 cm length
- Test potential voltage 11000 volt
- Working Potential 1100 volt
- Also available 5 KV to 33 KV at different working potential volt

NITRILE DIPPED GLOVES



- 100% Nitrile green shade Cotton flock lining for
- perspiration absorption
- Green pattern palm and fingers
- Length 33 cm, thickness 40mm Excellent resistance to abrasion, cuts, tears and puncture

LEATHER GLOVES



- Natural split welder
- Red palm split leather rain force
- on palm & thumb
- French assembly
- Length 35 cm
- Long back finger, durable,
- suitable fer welding & general material handling.

JEANS GLOVES



- Chemical resistance
- Optimum tearing strength
- Perfect finish

CUT RESISTANCE



- 13 Gauge Nylong Swamless Liner with Grey Nitrile Coating on Plam and Finger with Smooth Finish.

RUBBER GLOVES



- Made from latex rubber
- Size 25 to 28 cm in length
- Orange, Yellow, Blue, Pink Color
- Soft and comfortable

KNITTED HAND GLOVES



- Light-weight
- Easy to clean
- Damage-resistant

FALL PROTECTION

FULL BODY HARNESS



- Class A harness with one D-ring for fall arrest attachment
- Width and thickness of PP webbing are 40mm and 3mm respectively.
- Waist and leg straps are adjustable
- Available with screw or scaffold hook fitted with single PP rope.

FALL ARRESTER



- Works on 14 mm polyamide rope
- Steel karabiner attachment
- Provided with gravity locking system to prevent incorrect use
- Double security opening system

RETRACTABLE FALL ARRESTER



- Retractable Wire Rope Fall Arrester Block Plastic Casting. with Galvanized Steel Cable 3m to 50m Length with hook at attachment End Casting made up of high impact strength Polymer, up of high impact strength Polymer, to prevent breakage and is nearly indestructible. Anchorage Eye with swivel action. Prevents undue twist of rope while working or in the event of a fall.

ANCHORAGE LINE



- Made of 3-Stand polyamide twisted rope of dia 14 mm
- One side loop; other side and stop knot
- Available with Both side Loops

ROPE LADDER



- Made from 12mm rope without joint
- Available in wooden ar aluminum rungs.
- Upper end spliced with 10 mm to
- 12mm screw type hook.
- Standard size is 10 meter length with 12mm rope.

SAFETY NET



- Nets are fabricated from PP/nylon ropes.
- Border rope and cord rope diameter is 12mm
- Mesh size is 100 mm and mesh rope 4 mm
- Standard size 10x3 & 10 x 5 meter

E-mail : info@shellsafety.in

Shell Safety

VENUS PRODUCTS

EAR PLUG



Soft Polyurethane foam
Ultimate comfort fit allows easy use for long duration without discomfort
One size fits all
No need to stock different sizes
Lowers inventory
Adequate sound protection
With NRR 32, user is well-protected from noisy environments
Textile cord
Reduces transmission of sound
Skin friendly

EAR MUFF



APPLICATION EXAMPLES
ConstructionSanding, Drilling, Cutting, Demolition work, Ceramics Material mixing Mining Drilling, Material handling, Textiles Spinning, Weaving, Blow-room Pharmaceuticals, Material handling, Material charging, Cement Crushing, Bagging, EngineeringCutting, Sand blasting, Buffing, Chemical Blending operation, Utility process, Airport Aircraft marshaling Pneumatics appl.Compressor

V44 MASK



Approval and Certification:
ISI 9473:2002 and DGMS approved

Features:
- N.F.P. – 4 X O.E.L
- Colors available Yellow – 14141 / Grey – 14140
- Coloured Metal Nose Clip
- Easy identification of filter class.
- Tight fit yet comfortable

V410 MASK



Features
Type : Respirator Mask
Color :Yellow
Features : Sewn Adjustable Double Elastic. Elastic Sewed Outside Filter Area-No Leakage, No Puncture on Filter. Aluminium Clip For Snug Fit. Low Profile Design- Fitting Wide Range Of Face Contours.

V500 HALF FACE MASK



- Produced from non-allergic, Soft & odour less material to ensure high comfort
- Exhalation valve to allow efficient escape of exhaled air containing
- Pull type strong, adjustable elastic gives snug fit yet relives strap pressure

V667 FULL FACE MASK



- Produced from natural neoprene rubber. - Easy to use & maintain
- Zero power hard coated Visor - Polycarbonate lense meet impact test test requirement for face protection, high clarity & durability
- Inner Face Piece - Prevents fogging on the Visor, Neck strap - For easy handing
- Speech Diaphragm - Promotes easy communication
- Best designs, High quality, Safe and reliable

BODY PROTECTION

BOILER SUIT



- 100% high quality twill weave fabric of 240 gms
- Color fastness & shrinkage as per SGM norms
- Elasticized waist bank in back
- available Navy Blue & Orange Colour Size : S / M / L / XL

F R BOILER SUIT



- Made out of 100% cotton FR/ Nomexmaterial Stitched with cotton thread
- Colour : orange, navy blue, red etc.
- Size : S, M, XL, XXL
- We can customize the pattern according to client requirements.

FIRE SUIT



- Work wear 1 Piecde single layer 4.5 oz NOMEX, It has made from III A fabric with retro reflective tape at
- (1) forearms (2) bottom of paints.
- Size : L, XL, XXL Weight : 656 grams
- It has inherent flame fesistant properly one piece work features wear. Two set in front packet, two patch hip pockets, Pencil pocket on left sleeve.

TYCHEM SUIT



- Provides Level B protection
- Read entry with expandable back
- 48" zipper with storm flap
- 20 mil PVC Face shield
- Elastic wrists
- 2 exhaust ports with shroud
- Attached sock boots with boot flaps

DISPOSABLE SHOOT



- Material : Non Woven
These inexpensive disposable clothes provide full upper body coverage during laminating and grinding. Keep dust and chemicals off clothes and away from our skin. Lightweight, cool and comfortable.

PVC SUIT 3 PCS



- 3 Pieces : Hood, coat and trousers
- Free size Pant is elasticized, coal with button & zeep
- Bright Yellow color
- Acrylic visor to cover face against dust and fumes

E-mail : info@shellsafety.in

Shell Safety

OTHER PRODUCTS

FIRE EXTINGUISHER



- ABC Stored Pressure
- Carbon Dioxide Type
- Mechanical Foam
- Dry Chemical Powder
- Water CO2
- All Extinguisher is Approved by as per ISI

FIRE BUCKET & STAND



- Made From Galvanized Sheet
- 9 Litre Capacity
- Stand Made from M.S. Square Tube & 90 x 60 cm Galvanized Sheet
- Height 3.5 & 3 Ft. Wide
- 4 Pieces For Hooks & Provided to Hang the Bucket

FIRE BLANCKET



- Made From Heat Resistance Coated Fabric Having 430 Gsm.
- Size : 1.2 x 1.8
- Thickness : 0.43 mm
- It is used by Wrapping Around the Person to Save Him

ALUMINIUM LADDER



- Mfg. from high tensil aluminum alloy, heavy duty light in weight rust.
- Dust fire & flint proof, Each section mfg from C section size 2.5/8" x 1.1/4" steps 1" dia non-slip corrugated pipe at 12" centre to centre
- Rubber shoes provided at bottom
- 100% Twist proof, Heavy Duty & Unbreakable Ladder.

WIND SHOCK & STAND



- Made from M.S. Pipes
- 2 Meter height, Ring dia, 75mm
- Double ball bearing for easy revolution.
- Color : Red & White
- It can fold in 3 pieces for easy transporation.

LIFE JACKET



- Outside material nylon, inside water proof sponge
- Quick release buckle
- Buoyancy more than 7.5 Kg.
- Adult size, orange color
- Weight 0.600

FIRST AID BOX



- Transperent look Acrylic Material
- Lifting handle
- Leaflet issued by directed journal of factories
- Without Medicine

STRETCHER



- Collapsible pole stretcher
- Made from heavy duty 25 mm Dia pipe & canvas cloth coated with polyurethane
- 203 cm x 25 cm (unfolded)
- Washable, fitted with 3 straps on each side
- load capacity 159 Kg.

P. P. ROPE



- Polypropylene (P.P.) Rope
- Available in varies size

SPARK ARRESTOR



- Made from M.S. sheet and rotter from aluminium alloy
- Approval from chief controller of explosives, Yellow Colour
- It require when vehicle enter in hazardous area (Highly inflammable)
- Adjustable nut is provided for proper fitting.

SAFETY SHOWER



- Made from highly visible yellow anti corrosive material medium duty GI pipe B grade, and receptor bowl made ABS plastic.
- Color : Yellow • Weight : 16.3 At 30 PSI pressure 110 ltr. flow of water per Features minute floor flange Dia 200 mm Manually operated valves.

AIR BLOWER



- Heavy duty Power Coated Amour Sheet Housing Construction. Equipped with 3.0 H.P.Motor 8 Blade pracision balanced aluminium alloy impeller Motor equipped with thermal switch for overheat protection Engineered to move high volume of air This Model is equipped with heavy duty locking caster.

E-mail : info@shellsafety.in

Shell Safety

OTHER PRODUCTS

WEBBING SLING



- Material Made form
- 100% polyester
  Size : Width 50 mm & Length 1 M to 12 M
- Color : Green

CYLINDER TROLLY



- Handle single cylinders of 9½" dia of all welded cylinder trucks. Having clamp with locking arrangements. Rolls effortiessly on 2-heavy duty wheels. Available options : for different type of cylinders, wheels options as per requirements.

DISPOSABLE MASK



- Material : Non woven fabric with two elastic ear loop band, Ultra socially sealed.
- Size : 17.5 x 9.5 cm
- Color : Light blue / light green.
- Weight : 2.4 grams
- Features : 2 ply with tie on elastic ear loop.

DISPOSABLE CAPE



- Material : Made from
- Polypropylene spunbonded fabric.
- Size : Universal
- Color : Light blue
- Weight : 2 grams
- Features : Avoid escape of hair, dandruff and disposable cap.

DISPOSABLE SHOE COVER



- Material : LDPE, PELDPE Plastic
- Color : Light blue / light Green
- Height : 15 cm / 20 cm
- Length : 400 mm (suitable for all shoes sizes)

DISPOSABLE GLOVES



- Disposable Natural Powder / Powder free medical non examination latex gloves, Use for cleaning, medical, exam, food, working etc.

DISPOSABLE APRON



Made by Non woven or vinyl plastic, This inexpensive disposable apron provide upper body coverage during laminating and grinding. Keep dust and chemicals off clothes and away from your skin.

ROAD SAFETY

REFLECTIVE JACKET



- 110 gsm polyester fabric fitted with 25mm reflective micro prismatic tpe
- Velcro for front locking
- Suitable for Traffic management exhibition, construction works.
- Also available fitted with 50 mm reflective tape jacket

TRAFFIC CONE



- Made from LDPE non crushable
- Fitted with 8" reflective sleeve
- Height 740 mm,
  Base 380 x 380 mm
  Red Colour
- Easy to carry, stock and storage

BARRICATION TAPE



- Available tube type with both side printing, width 75 mm length 500 meter.
- Red and White colour, Bright bold type words caution, danger, and appropriate symbol.

SPEED BREAKER



- Cheque Design on top and bottom. Yellow & black color
- Body Material Modified Thermoplastics (Polymer Rubberized)
- Size L 500 x W 350 X H 50 mm
- 8 Cats eyes per meter
- Weight 14 KG per meter

CONVEX MIRROR



- Made from poly carbonate lens 1.5 mm, frmae is made from FRP,
- Size : 45, 60, 80, 100 cm
- Pink colour frame
- Light weight fixing clamp is provided with mirror.

SOLAR STUD



Superb quality and available in a range of LED colours. Manufactured from a solid block of aluminium with a high quality solar panel and Ni-MH battery to give 100 hours illumination at full charge.

MS ROAD BARRIERS



- Made from mild steel Size : L 300 to 2750 mm,
- height 1000 mm
- Red & Yellow

E-mail : info@shellsafety.in

Shell Safety

LOCKOUT TAGOUT KIT













Farhan Memon
Sales Manager
+91 98982 99668
farhan@shellsafety.in

"Aap ka Suraksha Kavach"

Shell Safety

Shop No. G-15, ATC Complex, Asian Paints Chowkadi, G.I.D.C., Ankleshwar - 393002. Dist. Bharuch. (Gujarat)
E-mail : info@shellsafety.in

ALL TYPES OF SAFETY MATERIALS STOCKIST & SUPPLIERS.